This listing of claims will replace all prior versions, and listings, of claims in the application: Listing of Claims:

1. (Currently Amended) A method performed by a processor comprising:

adding a category from a first set of broadcasted programs provided by a media provider to a second set of categories of broadcasted programs in response to a broadcasted program viewing device being tuned, for a period of time at least equal to a first predetermined threshold, to a plurality of broadcasted programs predetermined to be in the category from the first set, wherein the second set of categories comprises a plurality of behavior peaks;

determining a plurality of demographic profiles based on the second set, wherein each demographic profile corresponds to a <u>different behavior peak and wherein each behavior peak</u> and each demographic profile is assigned to a <u>different user</u>, as determined by different behavior peaks indicated by the second set; and

selecting a first advertisement based on at least one of the demographic profiles.

- 2. (Original) The method of claim 1, further comprising:
  displaying the first advertisement with an interactive programming guide.
- 3. (Original) The method of claim 1, further comprising: transmitting the second set to a unit at a head end of a broadcasting system.
- 4. (Original) The method of claim 1, further comprising: receiving a set of advertisements including the first advertisement.
- 5. (Previously Presented) The method of claim 1, further comprising:

removing a category from the second set in response to the broadcasted program viewing device not being tuned, for a period of time at least equal to a second predetermined threshold, to at least one broadcasted program predetermined to be in the category from the second set.

6. (Previously Presented) The method of claim 1, further comprising:

verifying with a viewer the adding of the category from the first set to the second set.

7. (Currently Amended) A computer-readable medium encoded with computer executable instructions, that when executed by the computer cause a machine to perform operations comprising:

adding a category from a first set of broadcasted programs provided by a media provider to a second set of categories of broadcasted programs in response to a broadcasted program viewing device being tuned, for a period of time at least equal to a first predetermined threshold, to a plurality of broadcasted programs predetermined to be in the category from the first set. wherein the second set of categories comprises a plurality of behavior peaks;

determining a plurality of demographic profiles based on the second set, wherein each demographic profile corresponds to a <u>different behavior peak and wherein each behavior peak</u> and each demographic profile is assigned to a <u>different user</u>, as determined by different behavior peaks indicated by the second set; and

selecting a first advertisement based on at least one of the demographic profiles.

8. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further comprise:

displaying the advertisement with an interactive programming guide.

9. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further comprise:

transmitting the second set to a unit at a head end of a broadcasting system.

10. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further comprise:

receiving a set of advertisements including the first advertisement.

11. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further comprise:

removing a category from the second set in response to the broadcasted program viewing device not being tuned, for a period of time at least equal to a second predetermined threshold, to at least one broadcasted program predetermined to be in the category from the second set.

12. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further comprise:

verifying with a viewer the adding of the category from the first set to the second set.

## 13-17 (Canceled)

- 18. (Previously Presented) The method of claim 1, further including adding a category from a first set of broadcasted programs provided by a media provider to a second set of categories of broadcasted programs in response to multiple selectings of at least one broadcasted program predetermined to be in the category from the first set.
- 19. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein operations further include adding a category from a first set of broadcasted programs provided by a media provider to a second set of categories of broadcasted programs in response to multiple selectings of at least one broadcasted program predetermined to be in the category from the first set.
- 20. (Previously Presented) The method of claim 1 further including adding a category from the first set to the second set of categories in response to a selecting of the category from the first set.
- 21. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, further including adding a category from the first set to the second set of categories in response to a selecting of the category from the first set.
- 22. (Previously Presented) The method of claim 1 further including:

increasing a weight value of a category based on a duration of viewing time for at least one broadcast program in that category; and

wherein the step of determining a plurality of demographic profiles includes utilizing weight values for categories to determine said demographic profiles.

23. (Previously Presented) The computer-readable medium encoded with computer executable

instructions of claim 7, further including:

increasing a weight value of a category based on a duration of viewing time for at least one broadcast program in that category; and

wherein the step of determining a plurality of demographic profiles includes utilizing weight values for categories to determine said demographic profiles.

- 24. (Previously Presented) The method of claim 1, further comprising:
- removing a category from the second set in response to a selection of the category from the second set.
- 25. (Previously Presented) The computer-readable medium encoded with computer executable instructions of claim 7, wherein the operations further comprise:

removing a category from the second set in response to a selection of the category from the second set.